



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 8 N

R 2 W

South Boundary, April 4, 1811

West On the South Boundary of sec. 36. T8. N. R. 2 W.
 40.00 Set a 7/4 sec post from which a
 Spruce 18 in dia. bears S 63 E 16 links dist. 12,
 Sugar 12 " " " N 44 W 16 " "
 42.00 To a Birch 3 links 3 links wide, corner N.
 44.25 To a W Oak 24 in dia. in the line.
 80.00 Set a post for the cor of sec. 35 & 36. From which,
 Birch 5 in dia. bears S 22 E 10 links dist. 12,
 Do. 12 " " " N 35 W 15 " "
 Sand good Timber Birch, Sugar, Oak, &c.

West On the South Boundary of sec. 35. T8. N. R. 2 W.
 40.00 Set a 7/4 sec post from which a
 Birch 15 in dia. bears S 18 E 13 links dist. 12,
 Do. 16 " " " S 85 W 13 " "
 69.75 To a Sugar 16 in dia. in the line.
 80.00 Set a post for the cor of sec. 34 & 35 from which,
 Sugar 12 in dia. bears South 17 links dist. 12,
 Malting 8 " " " N 54 W 34 " "
 Sand 8 1/2 mile Good Timber Birch, Sugar, Oak &c
 2nd 7/4 " Rich and hard Timber Birch,
 Sugar, Poplar, &c.

West On the South Boundary of sec. 34. T8. N. R. 2 W.
 32.50 To a Birch 12 in dia. in the line.
 40.00 Set a 7/4 sec post from which,
 Hick 20 in dia. bears S 68 E 34 links dist. 12,
 Do. 18 " " " N 87 W 25 " "
 67.75 To a Hick 12 in dia. in the line.
 80.00 Set a post for the cor of sec. 33 & 34 from which,
 Hick 15 in dia. bears S 74 E 16 links dist. 12,
 Do. 14 " " " N 44 W 20 " "

Lands & timber same as last mile.

West On the South Boundary of sec. 33 T. 8 N. R. 2 W.
 31.50 To a W Oak 30 in dia. in the mi.
 40.00 Set a new post from which,
 Hickory 12 in dia. bears S 54 W 30 links dist; to
 W Oak. 18 " " N 79 E 45 " "
 46.00 To a Brook 3 links mid, corner N.
 80.00 Set a post for the cor of sec 33 & 34 from which,
 Gum 12 in dia. bears S 37 E 18 links dist; to
 Hickory 16 " " N 33 W 19 " "
 Good Oak Land.

West On the South Boundary of sec. 32 T. 8 N. R. 2 W.
 28.50 To a Poplar 28 in dia. in the mi.
 40.00 Set a new post from which,
 Dogwood 6 in dia. bears N 84 E 31 links dist; to
 Sugar. 13 " " West 24 " "
 80.00 Set a post for the cor of sec 31 & 32 from which,
 Sugar 16 in dia. bears N 49 E 23 links dist; to
 Beech. 16 " " S 29 W 23 " "
 Good Oak Land.

West On the South Boundary of sec. 31 T. 8 N. R. 2 W.
 17.00 To a Brook 3 links mid, corner S.
 40.00 Set a new post from which,
 Sugar 14 in dia. bears S 76 W 13 links dist; to
 Walnut 8 " " N 55 E 20 " "
 50.00 To a Brook 10 links mid, corner S.E.
 77.00 " " Do. 3 " " N.
 80.00 Set a temp post for the cor of T. 7 & 8 N. R. 2 & 3 W
 Lands good Timber Sugar, Oak, & Poplar.
 Surveyed by Alexander Holmes L.S.

East Boundary

BRO

North On the East Boundary of sec. 36 T. 8 N. R. 2 W.
 15.00 To a Creek 50 links mid, corner S.E.
 40.00 Set a new post from which,
 Beech 18 in dia. bears S 60 E 17 links dist; to
 Do. 15 " " N 40 W 15 " "
 55.50 To an Ash 16 in dia. in the mi.
 80.00 Set a post for the cor of sec 25 & 36 from which,
 Dogwood 4 in dia. bears N 60 E 10 links dist; to
 Beech. 18 " " N 15 W 27 " "
 Lands rich oak land, & water land. Timber Sugar,
 Walnut, Ash, &c.

North On the East Boundary of sec. 25 T. 8 N. R. 2 W.
 16.50 To a Brook 8 links mid, corner E.
 28.00 To a Beech 40 in dia. in the mi.
 40.00 Set a new post from which,
 Sugar 13 in dia. bears S 24 E 20 links dist; to
 Beech. 8 " " N 85 W 26 " "
 44.00 To a Creek 60 links mid, corner S.E.
 80.00 Set a post for the cor of sec 24 & 25 from which,
 Sugar 13 in dia. bears N 55 E 11 links dist; to
 Do. 14 " " N 37 W 24 " "
 Lands and timber same as last mile.

North On the East Boundary of sec. 24 T. 8 N. R. 2 W.
 18.00 To a W Oak 20 in dia. in the mi.
 40.00 Set a new post from which,
 Sugar 16 in dia. bears S 78 W 14 links dist; to
 Beech 3 " " N 10 E 13 " "
 80.00 Set a post for the cor of Sec. 13 & 24 from which,
 Sugar 13 in dia. bears S 66 E 11 links dist; to
 Do. 6 " " N 16 W 4 " "

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Sands of a middling quality, Timitu Bead, Sugar, Poplar &c.

North On the East Boundary of sec. 13. T. 8. N. R. 27 W
40.00 Set a 7th sec. post from which
W Oak 16 in dia^r bears S 52 W 37 links dist; to
Dogwood 11 " " N 17 E 13 " "
69.00 To a Brook 8 links mid, Corner S.E.
78.00 " " Sugar 13 in dia^r in the line
80.00 Set a 7th sec. post for the cor of sec. 12 & 13 from which
Ash. 6 in dia^r bears N 30 W 11 links dist; to
W Oak 5 " " S 66 E 18 " "
Land on the 1st 7th mile of middling quality. Timitu
Beech, Sugar, & Poplar; 2nd 7th mile 2nd rate
Timitu Oak, & Poplar.

North On the East Boundary of Sec. 12 T. 8. N. R. 27 W.
23.50 To a Beech. 14 in dia^r in the line
35.00 To a spring 20 links mid, Corner S.E. A Rattle
snake den at the head.
40.00 Set a 7th sec. post from which
Poplar 40 in dia^r bears N 65 E 8 links dist; to
Do. 36 " " " N 54 W 24 " "
80.00 Set a post for the cor of sec. 12 & 13 from which
Dogwood 4 in dia^r bears S 60 W 7 links dist; to
R. Oak. 30 " " " S 40 E 5 " "
Sands level & Timitu Oak

North On the East Boundary of Sec. 1. T. 8. N. R. 27 W
28.30 To a W Oak 36 in dia^r in the line.
40.00 Set a 7th sec. post from which
W Oak 10 in dia^r bears S 56 W 11 links dist; to
Poplar 40 " " " N 31 E 7 " "

T. N. 8. N. R. N. 27 2nd Mer. Ind.

57.50 To an R. Oak. 20 in dia^r in the line
81.00 Set attempt post for the cor of sec. 8 & 9 T. 8. N. R. 27 W
Land level and good Timitu Oak.

North Boundary

B. 136.

April 6. 1811. From the cor. of T. 8 & 9 North of
R. 27 W. thence
West On the South Boundary of sec. 36. T. 9. N. R. 27 W.
40.00 Set a 7th sec. post from which
Stick 13 in dia^r bears N 37 E 31 links dist; to
Do. 14 " " " S 53 W 22 " "
80.00 Set a post for the cor of sec. 35 & 36 from which
Dogwood 5 in dia^r bears S 76 W 28 links dist; to
Do. 4 " " " N 76 E 16 " "
Land level Timitu Oak, & Stick

West On the South Boundary of sec. 35. T. 9. N. R. 27 W.
35.00 To a Brook 10 links mid, Corner S.
40.00 Set a 7th sec. post from which
Beech. 10 in dia^r bears N 46 E 14 links dist; to
Dogwood 5 " " " N 87 W 16 " "
80.00 Set a post for the cor of sec. 34 & 35 from which
W Oak 15 in dia^r bears N 30 W 7 links dist; to
Do. 18 " " " N 45 W 13 " "
Land level Timitu Oak, & Stick

West On the South Boundary of sec. 33. T. 9. N. R. 27 W.
40.00 Set a 7th sec. post from which
Sugar. 10 in dia^r bears N 22 W 13 links dist; to
Do. 13 " " " S 11 W 30 " "
80.00 Set a post for the cor of sec. 33 & 32 from which
W Oak 16 in dia^r bears N 25 E 4 links dist; to
Sugar. 8 " " " S 35 W 36 " "

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Good land; Timber Oak, Sugar, & Walnut &c.

West On the South Boundary of Sec. 34. T. 9 N. R. 27 W.
 40.00 Set a 7th sec post from which
 Sugar 12 in diam. bears S 35 E. 13 links dist. &c.
 Do. 8 " " " N 57 W. 12 " "
 80.00 Set a post for the cor. of sec 33 & 34 from which
 Gum 5 in diam. bears S 40 W. 12 links dist. &c.
 B. Oak 36 " " " N 55 E. 15 " "
 Good land Timber Oak, Poplar, Sugar, &c.

West On the South Boundary of sec. 32. T. 9 N. R. 27 W.
 29.00 To a Brook 20 links wide, corner NW.
 40.00 Set a 7th sec post from which
 Elm. 5 in diam. bears S 7 E. 18 links dist. &c.
 Buttonnut 13 " " " N 40 W. 16 " "
 80.00 Set a post for the cor. of sec 31 & 32 from which
 Sugar 12 in diam. bears S 30 E. 14 links dist. &c.
 Buck 8 " " " N 12 W. 12 " "

West On the South Boundary of sec. 31. T. 9 N. R. 27 W.
 40.00 Set a 7th sec post from which
 Sugar 16 in diam. bears N 26 W. 26 links dist. &c.
 Do. 4 " " " S 30 E. 5 " "
 80.00 Set a temporary post for the cor. of sec 16 & 31 & 36. T.
 S. & 9. N. R. 27 W. April 7. 1811

West Boundary
 North On the East Boundary of sec. 36. T. 8 N. R. 3 W.
 11.50 To a Brook 8 links wide, corner S.E.
 20.00 Set a 7th sec post from which
 Buck 14 in diam. bears S 20 W. 31 links dist. &c.
 Do. 16 " " " N 51 E. 26 " "

B. 138

T. N. 8. N. R. N. 27 2nd Mer. Ind.

54.00 To a Buck 14 in diam. in the line.
 80.00 Set a post for the cor. of Sec. 25 & 36. from which a
 Buck 12 in diam. bears S 59 E. 18 links dist. &c.
 Gum 32 " " " N 19 W. 32 " "
 Good land. Timber. Buck. Gum. Poplar &c.

North On the East Boundary of Sec. 25. T. 8. N. R. 3. W.
 19.50 To a Gum 20 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Hickory 10 in diam. bears S 19 E. 10 links dist. &c.
 Do. 11 " " " N 26 W. 37 " "
 80.00 Set a post for the cor. of Sec. 24 & 25. from which a
 Buck 9 in diam. bears N 25 W. 10 links dist. &c.
 Maple 12 " " " S 79 E. 22 " "
 Good land. Timber. Oak &c.

North On the East Boundary of Sec. 24. T. 8. N. R. 3. W.
 15.00 To a Hickory 18 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 13 in diam. bears N 59 W. 13 links dist. &c.
 Do. 5 " " " S 43 E. 14 " "
 80.00 Set a post for the cor. of Sec. 13 & 24. from which
 a Poplar 5 in diam. bears N 18 E. 15 links dist. &c.
 Do. 5 " " " East 19 " "
 Good hilly & stony. Timber. Oak &c.

North On the East Boundary of Sec. 13. T. 8. N. R. 3. W.
 35.00 To a Buck 14 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 15 in diam. bears S 52 W. 40 links dist. &c.
 Do. 14 " " " S 60 E. 32 " "
 47.00 To a Buck 50 links wide; corner N.W.
 80.00 Set a post for the cor. of Sec. 12 & 13. from which a

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Buck 18 in diam. bears S. 58. E. 22 links dist. to
 Sugar 12 " " " N 76. W. 19. " "
 Land hilly & rich Timber as above

North On the East Boundary of sec. 12 T. 8. N. R. 27
 40.00 Set a new post from which,

Buck 14 in diam. bears N 61 W. 14 links dist; to,
 Do. 7 " " " S 47 E. 16 " "

63.50 To a Sugar 7 in diam. in the line.

69.00 To a Brook 15 links wide, corner S. W.

80.00 Set a post for the cor. of sec. 17 2nd from which,
 Sugar 14 in diam. bears S 68 W. 20 links dist; to,
 Buck 15 " " " N 86 E. 18 " "
 Land 2nd rate; Timber Buck, Sugar, &c.

North On the East Boundary of sec. 1 T. 8. N. R. 27

9.00 To a Poplar — in diam. in the line.

40.00 Set a new post from which,

Poplar 20 in diam. bears S 82 E. 23 links dist; to,

Buck 6 " " " S 82 W. 24 " "

78.00 Tell 10 ch East of the temp^l post and set a post for
 the cor. of T. 8 & 9 N. R. 2 & 3 from which,

Sugar 13 in diam. bears S 77 E. 9 links dist; to,

Do. 12 " " " S 46 W. 17 " "

Land & timber same as last mile.

Surveyed by
 April 8. 1811 James Holmes. L.S.

Subdivisions

North Return Sec. 35 T. 36 T. 8. N. R. 27

23.50 To a Brook 25 links wide, corner S. E.

40.00 Set a new post from which,

Buck 12 in diam. bears S 44 W. 34 links dist; to,

T. N. 8. N. R. N. 27 2nd Mer. Ind.

Nick 12 in diam. bears N 40 E. 23 links dist.

72.50 To a Brook 25 links wide, corner S. E.

80.00 Set a post for the cor. of sec. 25 26 35 & 36 from which,
 Sugar 10 in diam. bears S 80 E. 20 links dist; to,

Buck 20 " " " S 46 W. 7 " "

Land not under rolling; Timber Poplar, Oak, Walnut,
 Sugar.

East On a Random line between Sec. 25 & 36 T. 8. N. R. 27

13.50 To a Spring corner S.

27.00 " " Brook 10 links wide, corner S. W.

40.00 Set a temp^l post in sec. 17.

80.00 Enter cut the N. 13 line 12 links South of the post cor.
 of sec. 25 & 36. Land the same.

West On the line between Sec. 25 & 36 T. 8. N. R. 27

40.00 Set the temp^l post in sec. 17 at the corner on the true line
 from which Red Oak 10 in diam. bears N 74 E. 17 links dist;
 and a W. Ash. 20 " " " S 56 W. 16 " "

80.00 Set the post cor. of sec. 25 36 35 & 36.

North Return Sec. 25 & 36 T. 8. N. R. 27

40.00 Set a new post from which,

Buck 15 in diam. bears S 72 W. 18 links dist; to,

Do. 8 " " " S 74 E. 7 " "

80.00 Set a post for the cor. of sec. 23 24 25 & 26 from which,

Elm. 12 in diam. bears N 12 W. 9 links dist; to,

Buck 15 " " " S 20 E. 10 " "

Land the same.

East On a Random line between Sec. 24 & 25 T. 8. N. R. 27

40.00 Set a temp^l post

50.00 To a Brook 20 links wide corner South.

T. N. 8. R. N. 27. 27. Min. Ind.

- 80.20 Intersect the East Boundary 10 links North of the first cor of sections 24 & 25. Same the same.
- West
40.10 On the true line between Sec. 24 & 25 T. 8. N. R. 27.
Set the temp. 7/4 sec post at the arc dist on the true line from white, Birch 12 in diam. bears N 60 E. 15 links dist. and a Sugar 18 " " S 56 W 24 " ".
- 80.20 To the post cor of sec. 23, 24, 25 & 26.
- North
34.00 Between Sec. 23 & 24 T. 8. N. R. 27.
To spring corner E.
40.00 Set a new post from white, Birch 7 in diam. bears S 65 W. 20 links dist.; or, Red Bud 5 " " " N 87 E. 11 " ".
- 44.00 To a Brook 25 links wide, corner S. E.
80.00 Set a post for the cor of sec. 13, 14, 23 & 24 from white, Poplar 40 in diam. bears N 4 W. 11 links dist.; or, Sugar 15 " " " S 44 E. 24 " ".
- Same the same as last mile.
- East
40.00 On a Random line between Sec. 13 & 24 T. 8. N. R. 27.
40.00 Set a temp. 7/4 sec post.
46.00 To spring corner S.
79.30 Intersect the E. Boundary 30 links South of the post cor. of sec. 13 & 24. Same the same as last mile.
- West
39.65 On the true line between Sec. 13 & 24 T. 8. N. R. 27.
Set the temp. 7/4 sec post at the arc dist on the true line from white, Gum 20 in diam. bears S 60 E. 3 links dist. and a Dogwood 5 " " " N 33 W 25 " ".
- 79.30 To the cor of sec. 13, 14, 23 & 24.
- North
Between Sec. 13 & 14 T. 8. N. R. 27.

comp.

T. N. 8. R. N. 27. 27. Min. Ind.

- 110.00 Set a post for the cor of 14 Sec. from which a Sugar 12 in diam. bears N 87 W. 20 links dist. and Elm 6 " " " S 59 E. 18 " ".
- 80.00 Set a post for the cor of Sec. 11, 12, 13 & 14 from which a Birch 30 in diam. bears N 10 W. 13 links dist. or, Dogwood 5 " " " N 15 E. 19 " ".
- Same the same as last mile.
- East
On a Random line between Sec. 12 & 13 T. 8. N. R. 27.
40.00 Set a temp. 7/4 sec post.
79.80 Intersect the East Boundary 34 links North of the post cor of sec. 12 & 13. Same the same.
- West
39.91 On the true line between Sec. 12 & 13 T. 8. N. R. 27.
Set the temp. 7/4 sec post at the arc dist on the true line from white, Hick 8 in diam. bears S 10 E. 14 links dist. or, Dogwood 3 " " " N 48 W 8 " ".
- 79.80 To the post cor of sec. 11, 12, 13 & 14.
- North
Between Sec. 11 & 12 T. 8. N. R. 27.
15.50 To a Brook 10 links wide, corner W.
40.00 Set a new post from white, Birch 12 in diam. bears S 72 W. 14 links dist.; or, Red 4 " " " S 57 E. 15 " ".
- 42.00 To a Brook 10 links wide, corner S. E.
80.00 Set a post for the cor of sec. 1, 2, 11 & 12 from white, Hick 8 in diam. bears N 12 E. 9 links dist.; or, Red 25 " " " S 36 W 13 " ".
- Same the same as last mile.
- East
On a Random line between Sec. 11 & 12 T. 8. N. R. 27.
24.00 To a Brook 12 links wide, corner S.
40.00 Set a new post temp.

T. N. 8. N. R. N. 277 2nd Mer. Ind.

79.30 Enter cut the East Boundary 38 miles South of the post
cor of sec. 1 & 12. Same the same.

West Return Sec. 1 & 12 T. 8. N. R. N. 277 2nd Mer.
39.65 Set the trip for a post at the corner on the true line
from white, Black 12 in diam. bears S 75 N 10 E. dist. 20
Nick 14 " " " N 60 E. 23 " "

79.30 To the post cor of sec. 1, 2, 11 & 12.

North Return Sec. 1 & 12 T. 8. N. R. 277.
40.00 Set a 1/4 sec post from white,
Ironwood 8 in diam. bears N 41 E. 3 1/2 miles dist. 20
Dogwood 8 " " " S 49 N 16 " "

74.50 Enter cut the N Boundary 240 miles East of the post cor
of sec. 25 & 36. T. 9. N. R. 277 and set a post for the
cor of 1, 12 from white,
Sum. 9 in diam. bears N 49 N 12 1/2 miles dist. 20
Dogwood 6 " " " N 6 N 14 " "
Same the same as last mile.

North Return Sec. 34 & 35 T. 8. N. R. 277
26.50 To a Brook 12 miles mid, corner S. E.
40.00 Set a 1/4 sec post from white,
Oak 10 in diam. bears N 44 N 13 miles dist. 20
Sugar 6 " " " S 8 E. 27 " "
80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from white,
Sugar 10 in diam. bears N 62 E. - 1/2 miles dist. 20
Dogwood 3 " " " S 34 E. 7 " "
Same the same as last mile.

East On a Ranam line between Sec. 26 & 35 T. 8. N. R. 277
40.00 Set a 1/4 sec post from white,
66.50 To a Brook 10 miles mid, corner S.

T. N. 8. N. R. N. 277 2nd Mer. Ind.

80.10 Enter cut the N B line 6 miles South of the post cor of
Sec. 25, 26, 35 & 36. Same the same.

West On the true line between Sec. 26 & 35 T. 8. N. R. 277.
40.05 Set the post for the cor of 1/4 Sec. at the over. dist. on the true
line from which a Sugar 10 in diam. bears S 58 E. 7 1/2 miles dist. 20
Sec. 10 " " " S 54 N 23 " "
80.10 To the post cor of Sec.

North Return Sec. 26 & 37 T. 8. N. R. 277.
40.00 Set a post for the cor of 1/4 Sec. from which a
Hickory 10 in diam. bears S 13 E 11 miles dist. 20
Ironwood 3 " " " N 14 N 3 " "
80.00 Set a post for the cor of sec. 22, 23, 26 & 27 from white,
Dogwood 6 in diam. bears S 31 E. 34 1/2 miles dist. 20
Sum. 6 " " " N 20 N. 21 " "
Same the same as last mile.

East On a Ranam line between Sec. 23 & 26 T. 8. N. R. 277.
40.00 Set a trip for 1/4 sec post
79.80 Enter cut the N B line 27 miles South of the post cor
of sec. 23 & 24, 25 & 26. Same the same.

West On the true line between Sec. 23 & 26 T. 8. N. R. 277.
39.90 Set the trip for a sec post at the corner on the true line
from white, Black 6 in diam. bears S 32 E. 8 1/2 miles dist. 20
Maple 10 " " " S 59 N 23 " "
79.80 To the post cor of sec. 22, 23, 26 & 27

North Return Sec. 22 & 23 T. 8. N. R. 277.
40.00 Set a 1/4 sec post from white,
E 10 in diam. bears S 29 N. 10 miles dist. 20
Poplar 10 " " " S 24 E. 8 " "

10.50 To where the Brook was crossed three times
 40.00 Set a 7/8 in post from which
 W Walnut 7 in dia^r beam. N 11 E. 4 W dist; on
 Sugar. 18 " " " S 20 W. 36 " "
 80.00 Set a post for the cor of sec. 20. 21. 28 & 29 from which
 Hogwood 4 in dia^r beam. N 45 W. 11 W dist; on
 H. 4 " " " S 33 E. 20 " "
 Same as the same, as last mile.

East On a Random line between Sec 21 & 28 T. 8. N. R. 2nd M.
 40.00 Set a temporary post.
 41.00 To a Brook 15 links m. corner S. W.
 80.28. Set out the N. 13 line. 20 links South of the post on
 of sec 21, 22, 27 & 28. Same as the same.

West On the line between Sec 21 & 28 T. 8. N. R. 2nd M.
 40.14 Set the temporary post at the corner on the line
 from which, Reak. 5 in dia^r beam. N 34 W. 40 W dist;
 under H. 15 " " " S 40 E. 28 " "
 80.21. To the post cor of sec 20. 21. 28 & 29.

North Return Sec 20 & 21. T. 8. N. R. 2nd M.
 40.00 Set a 7/8 in post from which
 Hogwood 6 in dia^r beam. N 37 W. 4 W dist; on
 Hick. 10 " " " N 27 E. 16 " "
 80.00 Set a post for the cor of sec 16. 17. 20 & 21 from which
 Ironwood. 4 in dia^r beam. S 18 E. 5 W dist; on
 Sugar. 8 " " " S 27 W. 15 " "
 Same as the same.

East On a Random line between Sec 16 & 21 T. 8. N. R. 2nd M.
 40.00 Set a temporary post of
 54.75. To a Brook 18 links m. corner S.

79.95 Set out the N. 13 line. 10 links South of the post on
 of sec 15. 16. 21 & 22. Same as the same.

West Return Sec 16 & 21. On the line T. 8. N. R. 2nd M.
 39.97 1/2 Set the temporary post at the corner on the line
 from which, Sugar. 24 in dia^r beam. N 10 E. 19 W dist; on
 W. Ash. 3 " " " N 58 W. 12 " "
 79.95 To the post cor of sec 16. 17. 20 & 21.

North Return Sec 16 & 17. T. 8. N. R. 2nd M.
 40.00 Set a 7/8 in post from which
 W Oak. 7 in dia^r beam. S 51 E. 8 W dist; on
 H. 5 " " " S 3 E. 15 " "
 80.00 Set a post for the cor of sec. 8. 9. 16. 17 from which
 Reak. 8 in dia^r beam. N 82 W. 18 W dist; on
 H. 8 " " " N 65 E. 14 " "
 Same as the same.

East On a Random line between Sec 9 & 16 T. 8. N. R. 2nd M.
 40.00 Set a temporary post.
 80.00 Set out the N. 13 line 20 links South of the post cor of sec
 9. 10. 15 & 16. Same as the same.

West On the line between Sec 9 & 16 T. 8. N. R. 2nd M.
 40.00 Set the temporary post at the corner on the line
 from which, W Oak 15 in dia^r beam. S 25 W. 13 links, dist;
 under Lynn. 5 " " " S 32 E. 12 " "
 80.00 To the post cor of sec 8. 9. 16. & 17.

North Return Sec 8 & 9 T. 8. N. R. 2nd M.
 40.00 Set a post for the cor of 7/8 in post from which
 Reak. 20 in dia^r beam. S 62 W. 32 W dist; on
 Elm. 4 " " " N 10 E. 20 " "

T. N. 8. N. R. N. 27. 2nd. M. Ind.

80.00 Set apart for the car of saw 4.5.849 from which,
Sugar 6 in air bears N 5 E. 10 Ks dist. 10,
Hick 12 " " " N 65 N. 22 " "
Sands the same. as last mile.

East On a Panam line between Sas 489. T. 8. N. R. 27.

40.50 Set a trap for the post.

79.50 To a Brook 10 miles mid. Corner N. W.

80.10 Set out the N. 5 line 22 miles South of the post on off
Sas. 3.4.9. 110 Sands the same.

West On the Line line between Sas 489. T. 8. N. R. 27.

40.05 Set the trap for the post at the air chest on the line from
which, in air bears N 84 E. 27 Ks dist
and a Hackberry 10 " " " N 66 N. 17 " "

80.10 To the post on of saw 4.5.849.

North Return Sas 485 T. 8. N. R. 27.

39.50 To a Brook 15 miles mid. Corner N. W.

40.00 Set a trap for the post from which,

Beck - in air bears. N 75 E. 24 Ks dist. 10,

Poplar 12 " " " N 77 E. 10 " "

64.00 To a Brook 10 miles mid. Corner N.

75.60 Set out the N. 5 line 300 miles East of the post on
of saw 32. 133. T. 9. N. R. 27 and set a post for the car
" 485 from which,

Beck 8 in air bears N 64 E. 3 Ks dist. 10,

N Oak 12 " " " N 55 N. 23 " "

Sands the same.

North Return Sas 3133 T. 8. N. R. 27.

30.00 To a Brook 20 miles mid. Corner N.

40.00 Set a trap for the post from which,

T. N. 8. N. R. N. 27. 2nd. M. Ind.

Hick 10 in air bears N 77 N. 7 Ks dist. 10,

Sum. 18 " " " N 77 E. 10 " "

80.00 Set apart for the car of saw 29. 30. 31. 32 from which,
Poplar 40 in air bears. N 23 N. 28 Ks dist. 10
Beck 10 " " " N 67 E. 24 " "
Sands the same.

East On a Panam line between Sas 29. 133. T. 8. N. R. 27.

40.00 Set a trap for the post.

63.00 To a Brook 20 miles mid. Corner S. W.

79.50 Set out the N. 5 line 25 miles South of the post on off
Sas. 28. 29. 32. 33. Sands the same.

West On the Line line between Sas 29. 133. T. 8. N. R. 27.

39.75 Set the trap for the post at the air chest on the line from
which, Sugar 8 in air bears East 25 Ks dist.

79.50 To the car of saw 29. 30. 31. 32.

North Return Sas 30. 131. T. 8. N. R. 27.

22.50 To a Brook 10 miles mid. Corner S.

40.00 Set a trap for the post from which,

Hick 12 in air bears N 76 E. 29 Ks dist. 10,

Log wood 6 " " " N 55 N. 12 " "

65.00 To a maple 18 in air. Hands with the line.

69.90 Set out the West Boundary 101 miles South of the post
on 25. 136. T. 8. N. R. 37 and set apart for the car of saw
30. 131. from which,

Beck 12 in air bears N 63 E. 4 Ks dist. 10,

Oak 15 " " " N 6 E. 20 " "

Sands the same as last mile.

North Return Sas 29. 130. T. 8. N. R. 27.

40.00 Set a trap for the post from which,

S. N. S. A. R. N. S. D. M. S. M. S. Ind.

8000 Sugar 10 in dia. beam S 73 N. 10 links dist; 70,
 Juniper 4 4 4 N 14 N 15 4 4
 Set a post for the center of sec. 19, 20, 29 & 30 from which
 Gum. 20 in dia. beam S 55 E. 14 links dist; 70,
 Ho. 18 4 4 N 68 N. 17 4 4
 Sound rolling under soil not unlike Oak, Hickory
 Poplar, Sugar. &c.

East Cap Random line between Sec. 20 & 29. S. S. A. R. D. M.
 4000 Set a temporary post.
 8000 Set out the N 13 line at the first center of sec. 20, 21, 28 & 29
 Sound the same as last mile.

West Cap the line between Sec. 20 & 29. S. S. A. R. D. M.
 4000 Set the temporary post at the center on the line
 from which N Oak - in dia. beam S 45 N. 13 links dist
 Ho. 10 4 4 N 45 N. 11 4 4
 8000 To the first center of sec. 19, 20, 29 & 30

West Return Sec. 19 & 30 S. S. A. R. D. M.
 4000 Set a temporary post from which
 N Oak. 30 in dia. beam S 72 N. 18 links dist; 70,
 N Oak. 12 4 4 N 35 E. 14 4 4
 70.50 Set out the West Boundary 8 links South of the first center
 of sec. 24 & 25. S. S. A. R. 3 N and set a post for the
 center of 19 & 30 from which
 Buck 8 in dia. beam S 80 N. 5 links dist; 70,
 Ho. 5 4 4 N 10 E. 7 4 4
 Sound the same as last mile.

North Return Sec. 19 & 20 S. S. A. R. D. M.
 4000 Set a temporary post from which
 Buck 5 in dia. beam S 35 N. 9 links dist; 70,

S. N. S. A. R. N. S. D. M. S. M. S. Ind.

N Walnut. 8 in dia. beam N 43 E. 21 links dist;
 8000 Set a post for the center of sec. 17, 18, 19, & 20 from which
 Maple. 18 in dia. beam S 25 N. 12 links dist; 70,
 Poplar. 5 4 4 N 27 E. 17 4 4
 Sound the same.

East Return Sec. 17 & 20 S. S. A. R. D. M.
 4000 Set a temporary post.
 80.12 Set out the N 13 line 15 links South of the first center of
 Sec. 16, 17, 20 & 21. Sound the same.

West Cap the line between Sec. 17 & 20 S. S. A. R. D. M.
 4000 Set the temporary post at the center on the line from
 which N Oak. 18 in dia. beam S 55 E. 4 links dist; 70,
 Oak. 3 4 4 N 34 N. 33 4 4
 80.12 To the first center of sec. 17, 18, 19 & 20.

West Return Sec. 18 & 19 S. S. A. R. D. M.
 4000 Set a temporary post from which
 Buck 4 in dia. beam S 70 N. 36 links dist; 70,
 Oak. 4 4 4
 71.63 Set out the West Boundary 261 links South of the
 first center of sec. 13 & 24 S. S. A. R. 3 N and set a post for
 " " " 18 & 19 from which
 Buck 15 in dia. beam S 83 N. 18 links dist; 70,
 Dog wood 4 4 4 N 45 E. 22 4 4
 Sound the same as last mile.

North Return Sec. 17 & 18 S. S. A. R. D. M.
 4000 Set a temporary post from which
 Buck 24 in dia. beam S 15 E. 13 links dist; 70,
 Sugar. 12 4 4 N 70 N. 23 4 4
 55.50 To a Brook 15 links wide, corner N.

S. N. 8. A. R. N. 277 2nd M. Ind.

80.00 Sugar 10 in dia. beam S 37 N. 10 links dist; 70,
 Junco 44 " " N 14 N 15 " "
 Let a post for the cr of sec. 19 20 29 30 from white,
 Gum. 20 in dia. beam S 50 E. 14 links dist; 70,
 Ho. 18 " " " N 68 N. 17 " "
 Sound rolling under soil not 1 mile (Oak, Hick &
 Poplar, Sugar, &c.)

East Cap. Random line between Sec. 20 & 29. T. 8. N. R. 277
 40.00 Let a temp. 7/4 sec post.
 80.00 Let a post for the N 13 line. at the post cr of sec. 20, 21, 28 & 29
 Sound the same as last mile.

West Let the line line between Sec. 20 & 29. T. 8. N. R. 277
 40.00 Let the temp. 7/4 sec post at the cr of sec. on the line
 from white N Oak - in dia. beam. N 45 N. 13 links dist
 and a Ho. 10 " " " N 45 N. 11 " "
 80.00 Let the post cr of sec. 19, 20 29 30.

West Return Sec. 19 & 30 T. 8. N. R. 277.
 40.00 Let a 7/4 sec post from white.
 N Oak. 30 in dia. beam N 72 N. 18 links dist; 70,
 N Oak. 12 " " " N 35 E. 14 " "
 70.50 Let a post for the West Boundary 261 links South of the
 cr of sec. 24 & 25. T. 8. N. R. 377 and let a post for the
 cr of 19 & 30 from white.
 Buck 8 in dia. beam N 80 N. 5 links dist; 70,
 Ho. 5 " " " N 10 E. 7 " "
 Sound the same as last mile.

North Return Sec. 19 & 20 T. 8. N. R. 277
 40.00 Let a 7/4 sec post from white
 Buck 5 in dia. beam S 55 N. 9 links dist; 70,

S. N. 8. A. R. N. 277 2nd M. Ind.

80.00 N Walnut. 8 in dia. beam. N 43 E. 21 links dist;
 Let a post for the cr of sec. 17, 18, 19. & 20 from white,
 Maple. 18 in dia. beam S 25 N. 12 links dist; 70,
 Poplar. 5 " " " N 27 E. 17 " "
 Sound the same.

East Return Sec. 17 & 20 T. 8. N. R. 277.
 40.00 Let a temp. 7/4 sec post.
 80.12 Let a post for the N 13 line 15 links South of the post cr of
 Sec. 16, 17, 20 & 21. Sound the same.

West Let the line line between Sec. 17 & 20 T. 8. N. R. 277.
 40.06 Let the temp. 7/4 sec post at the cr of sec. on the line from
 white, N Oak. 18 in dia. beam. S 55 E. 14 links dist; 70,
 Oak. 3 " " " " N 44 N. 33 " "
 80.12 Let the post cr of sec. 17, 18, 19 & 20.

West Return Sec. 18 & 19 T. 8. N. R. 277.
 40.00 Let a 7/4 sec post from white.
 Buck 4 in dia. beam. S 70 N. 36 links dist; 70,
 Oak 4 " " " " " "
 71.63 Let a post for the West Boundary 261 links South of the
 post cr of sec. 13 & 24 T. 8. N. R. 377 and let a post for
 " " " 18 & 19 from white,
 Buck 15 in dia. beam. N 83 N. 18 links dist; 70,
 Dog wood 4 " " " N 45 E. 22 " "
 Sound the same as last mile.

North Return Sec. 17 & 18 T. 8. N. R. 277.
 40.00 Let a 7/4 sec post from white
 Buck 24 in dia. beam. N 15 E. 13 links dist; 70,
 Sugar. 12 " " " S 70 N. 23 " "
 55.50 Let a post for 15 links mid, corner N.

I. N. 8. A. R. N. 2nd M. Ind.

80.00 Set a post for the cr of sw. 7.8.17. 118 from which
Hick 24 in dia. beam. N 67.8 the dist. 12.
Lo. 10 " " " N 19 E. 13. "
Sands the same.

East On a R. C. arm line between Sec. 8 & 17. I. S. A. R. 2nd M.

40.00 Set a trap for the post.

80.16 Set out the N 13 line 26 links North of the post. cr
of sw. 8.9.16 & 17. Sands the same.

West Return Sec. 8 & 17. I. S. A. R. 2nd M. Same line.

40.08 Set the trap for the post at the cr dist. in the line
from which, N 13 line. 15 in dia. beam. N 86 E. 18 the dist.
and a Hick 15 in " " " N 16 E. 22 " "

80.16 Set the post cr of sw. 7.8.17 & 18.

West Return Sec. 7 & 18 I. S. A. R. N. 2nd M.

24.50 To a Brook 25 links min, become 2nd M.

40.00 Set a trap for the post from which,
Beck 20 in dia. beam. N 65 E. 16 the dist. 12.
Lo. 10 " " " N 34 N. 14 " "

71.62 Set out the West Bound. 129 links South of the post
cr of sw. 12 & 13. I. S. A. R. 3rd M. and set a post for
the " " " 7 & 18 from which,
Beck. 8 in dia. beam. N 20 E. 5 the dist. 12.
Lo. 12 " " " N 63 E. 19 " "
Sands the same.

North Return Sec. 7 & 18. I. S. A. R. 2nd M.

9.50 To a Brook 18 links min, become N.

40.00 Set a trap for the post from which,
Sugar 12 in dia. beam. N 30 E. 10 the dist. 12.
Beck. 8 " " " N 58 E. 35 " "

I. N. 8. A. R. N. 2nd M. Ind.

71.00 To a N Oak. 18 in dia. in the line.

80.00 Set a post for the cr of sw. 5.6.7 & 8 from which,
Beck. 12 in dia. beam. N 43 E. 12 the dist. 12.
Lo. 6 " " " N 24 E. 10 " "
Sands the same as last note.

East On a R. C. arm line between Sec. 5 & 8 I. S. A. R. 2nd M.

40.00 Set a trap for the post.

79.90 Set out the N 13 line 10 links North of the post cr of sw.
4.5.8 & 9. Sands the same.

West Return Sec. 5 & 8 I. S. A. R. 2nd M. Same line.

39.95 Set the trap for the post at the cr dist. in the line from
which, and Ash. 20 in dia. beam. East 8 the dist. 12.
Beck 24 " " " N 19 E. 12 " "

79.90 Set the cr of sw. 5.6.7 & 8.

West Return Sec. 6 & 7 I. S. A. R. 2nd M.

40.00 Set a trap for the post from which,

Beck. 12 in dia. beam. N 66 E. 26 the dist. 12.
Lo. 8 " " " N 30 E. 7 " "

71.20 Set out the N Bound. 100 links South of the post
cr of sw. 1 & 2 I. S. A. R. 3rd M. and set a post for the cr of
sw. 6 & 7 from which,

Sugar 4 in dia. beam. N 84 N. 15 the dist. 12.
Lo. 18 " " " N 37 N. 24 " "
Sands the same.

North Return Sec. 6 & 5 I. S. A. R. 2nd M.

36.00 To a N Oak 20 in dia. stand for the line.

40.00 Set a trap for the post from which,
Beck 10 in dia. beam. N 81 E. 11 the dist. 12.
Lo. 9 " " " N 40 N. 12 " "

S. R. S. R. No. 2772nd Mer. Sud.

46.27 Let out the S. R. at 358 lms. East of the post ca of
 Jul. 31. 1830 29. N. R. 27th and set a post for the ca of Jul.
 5th 6. from which
 Hick 3 in dist. bears S 87 N. 14 lms. dist. m.
 Buck 3 " " " S 58 N. 8 " "
 Land the same. as last mtd.

Surveyed by
 Arthur Henric
 Sept 2nd 1841

Comp?

I certify, that the foregoing Transcript of the field
 notes of Township No. 8. North of Range No. 2 West
 of the 2nd Principal Meridian in Indiana has
 been compared with the Original notes with this Office
 and found to be correct.
 Surveyor General's Office,
 Cincinnati, Nov. 17 1841

Survey General.

Township No. 9. North of Range No. 2 West 2nd Mer. Sud

South Boundary.

B 136

April 6. 1841. From the ca of T. 8 & 9 N. R. 17th.
 West On the South Boundary of sec. 36 T. 9 N. R. 27th.
 4000 Set a new post from which
 Hick 13 in dist. bears N 37 E 34 lms. dist. m.
 Do. 14 " " " S 53 N 22 " "
 8000 Set a post for the ca of sec. 35 T. 9 N. R. 27th.
 Hick 5 in dist. bears S 61 N. 28 lms. dist. m.
 Do. 4 " " " S 76 E. 16 " "
 Land bet. Town & Oak, Hick

West On the South Boundary of sec. 35 T. 9 N. R. 27th.
 35.00 To a Brook 10 lms. mtd. below L.
 40,00 Set a new post from which
 Buck 10 in dist. bears S 46 E. 14 lms. dist. m.
 Hick 5 " " " S 87 N. 16 " "
 80,00 Set a post for the ca of sec. 34 T. 9 N. R. 27th.
 Oak 13 in dist. bears N 30 N of the dist. m.
 Do. 18 " " " S 45 N 13 " "
 Land the same.

West On the South Boundary of sec. 34 T. 9 N. R. 27th.
 40,00 Set a new post from which
 Sugar 12 in dist. bears S 25 E. 13 lms. dist. m.
 Do. 8 " " " S 57 N. 12 " "
 80,00 Set a post for the ca of sec. 33 T. 9 N. R. 27th.
 Gum 5 in dist. bears S 40 N 12 lms. dist. m.
 Buck 36 " " " S 55 E. 15 " "
 Land bet. Town & Oak, Poplar & Sugar.

West On the South Boundary of sec. 33 T. 9 N. R. 27th.
 40,00 Set a new post from which
 Sugar 10 in dist. bears S 22 N 13 lms. dist. m.